



# G-TECH

ISO 9001:2015 CERTIFIED COMPANY






Manufactures & Export

- ▶ Paver Block & Bricks Machine
- ▶ Paver Block Mould
- ▶ Construction machine
- ▶ Paver Block Color & Hardner

[Chat With Us](#)



# PRODUCT



+91 9727513135



gtechmcn@gmail.com

# About Us.

## G-Tech Machine

+91 9727513135

gtechmcn@gmail.com

Panchaser Main Road , Morbi-363641  
Gujarat - India

### Introduction


G-Tech Machine is a leading manufacturer and exporter specializing in state-of-the-art machinery for the production of paver blocks and bricks. With a steadfast commitment to quality and innovation, we provide comprehensive solutions tailored to meet the diverse needs of our clients in the construction and infrastructure sectors.

We supply a variety of paver block moulds crafted from high-grade materials to ensure longevity and excellent compatibility with our machines. Our moulds enable manufacturers to create aesthetically appealing and durable paver blocks that meet industry standards.



### Global Reach:

With a robust export network, G-Tech Impex successfully serves clients in various countries across [African /Countries]. Our commitment to understanding the unique challenges of different markets enables us to provide tailored solutions that drive success for our clients.



**GT :-1 Zig Zag**  
1 m<sup>2</sup> :- 31 PCs





**GT :-2 Square Zig Zag**  
1 m<sup>2</sup> :- 31 PCs




**GT :-3 Bubble Zig Zag**  
1 m<sup>2</sup> :- 31 PCs

Size :- 40/60/80/100 mm





**GT :-4 Cosmic**  
1 m<sup>2</sup> :- 22 PCs




**GT :-5 Cosmic Arc**  
1 m<sup>2</sup> :- 22 PCs



**GT :-6 Cosmic Flower**  
1 m<sup>2</sup> :- 22 PCs

Size :- 40/60/80/100 mm






**GT :-7 I Shape Liner**  
1 m<sup>2</sup> :- 29 PCs

**GT :-8 I Shape Square**  
1 m<sup>2</sup> :- 29 PCs


**GT :-9 I Shape**  
1 m<sup>2</sup> :- 29 PCs



**GT :-10 Daimond**  
1 m<sup>2</sup> :- 28 PCs




**GT :-11 Daimond Line**  
1 m<sup>2</sup> :- 28 PCs



**GT :-12 Daimond Prsam**  
1 m<sup>2</sup> :- 28 PCs

Size :- 40/60/80/100 mm





**GT :-13 Tri - Hex**  
1 m<sup>2</sup> :- 39 PCs



**GT :-14 Silicon**  
1 m<sup>2</sup> :- 22 PCs



**GT :-15 Johnson**  
1 m<sup>2</sup> :- 18 PCs




**GT :-16 Colorado**  
1 m<sup>2</sup> :- 25 PCs



**GT :-17 Colorado Tip Top**  
1 m<sup>2</sup> :- 25 PCs

Size :- 40/60/80/100 mm






**GT :-18 Damru**  
1 m<sup>2</sup> :- 28 PCs



**GT :-19 Badam Damru**  
1 m<sup>2</sup> :- 28 PCs



**GT :-20 Brooks**  
1 m<sup>2</sup> :- 33 PCs



**GT :-21 Camel**  
1 m<sup>2</sup> :- 23 PCs



**GT :-22 Camel**  
1 m<sup>2</sup> :- 23 PCs

Size :- 40/60/80/100 mm







**GT :-23 Garden**  
1 m<sup>2</sup> :- 20 PCs



**GT :- 24 Arrow**  
1 m<sup>2</sup> :- 32 PCs




**GT :- 25 New Arrow**  
1 m<sup>2</sup> :- 32 PCs




**GT :-26 Pentagon**  
1 m<sup>2</sup> :- 22 PCs


Size :- 40/60/80/100 mm



Pentagon



Pentagon



Garden




New Arrow



Arrow



GT :-27 T Paver  
1 m<sup>2</sup> :- 21PCs





GT :-28 Trapezium  
1 m<sup>2</sup> :- 28 PCs



GT :-29 10 x 10 "  
1 m<sup>2</sup> :- 16 PCs

Size :- 40/60/80/100 mm




Trapezium



T Paver



Garden



**GT :- 30 Fish**  
1 m<sup>2</sup> :- 22 PCs



**GT :- 31 Scorpion**  
1 m<sup>2</sup> :- 25 PCs



**GT :- 32 Arch**  
1 m<sup>2</sup> :- 22 PCs



**GT :- 33 Dulex**  
1 m<sup>2</sup> :- 18 PCs





**GT :- 34 Rock 10 x 8**  
1 m<sup>2</sup> :- 20 PCs



**GT :- 35 Splendour**  
1 m<sup>2</sup> :- 25 PCs

Size :- 40/60/80/100 mm





**GT :- 36 cobble stone**  
**200 x 200**  
**1 m<sup>2</sup> :- 25 PCs**



**GT :- 39 cobble stone Rustic**  
**200 x 200**  
**1 m<sup>2</sup> :- 25PCs**



**GT :- 37 200x200**  
**1 m<sup>2</sup> :- 25 PCs**



### Bricks & Cobble Stone Combo

**Bricks :-8x4" ( 200x100 mm)**  
**1 m<sup>2</sup> :- 50 PCs**

**Bricks :-8x8" (200x200mm)**  
**1 m<sup>2</sup> :- 25PCs**

**Cobble Stn :- 4x4" (100x100mm)**  
**1 m<sup>2</sup> :- 97 PCs**

**GT :- 40**

### Rustic Bricks & Cobble Stone Combo



**GT :- 38 Rock 200x200**  
**1 m<sup>2</sup> :- 25 PCs**



**GT :- 41**


**Bricks :-8x4" ( 200x100 mm)**

**Bricks :-8x8" (200x200mm)**

**Cobble Stone :- 4x4"**  
**(100x100mm)**



**GT :- 42 Cobble stone**  
100 x 100  
1 m<sup>2</sup> :- 97 PCs



**GT :- 45 Cobble stone**  
125x 125 mm  
1 m<sup>2</sup> :- 64 PCs



**GT :- 43 Bricks**  
12"x6" (300x150mm)  
1 m<sup>2</sup> :- 22 PCs



**Bricks & Cobble Stone Combo**

**GT :- 46**  
**Bricks 10 x 5 inch**  
Sqr mtr :- 31 PCs




**GT :- 47 Cobble stone**  
5 x 5 inch  
1 m<sup>2</sup> :- 64 PCs



**GT :- 48 Bricks 8 x 4**  
1 m<sup>2</sup> :- 50 PCs



**GT:- 44 Gravel**  
200 x 200  
1 m<sup>2</sup> :- 25 PCs






**GT :- 49 Hexa**  
1 m<sup>2</sup> :- 25 PCs




**GT:- 50 Kingstone Hexa**  
1 m<sup>2</sup> :- 25 PCs




**GT:- 51 Hexa Platinum**  
1 m<sup>2</sup> :- 25 PCs



**GT:- 52 Leaf**  
1 m<sup>2</sup> :- 21 PCs




**GT:- 53 Hexa Flower**  
1 m<sup>2</sup> :- 25 PCs




**GT:- 54 X**  
1 m<sup>2</sup> :- 54 PCs

Size :- 40/60/80/100 mm




Combination Hexa Flower and X





GT :- 55 Meera  
1 m<sup>2</sup> :- 36Nos



GT :- 56 Heera  
1 m<sup>2</sup> :- 16 Nos



GT:- 57 Thara  
1 m<sup>2</sup> :- 22 Nos



GT :- 58 Nexus  
1 m<sup>2</sup> :- 14 PCs



GT :- 59 Nexus  
1 m<sup>2</sup> :- 14 PCs




GT :- 60 Puzzle Rock  
1 m<sup>2</sup> :- 40 PCs

Size :- 40/60/80/100 mm




Heera & Meera



Nexus



Nexus 2




Heera & Thara



Puzzle Rock



**GT:- 61 Star A**  
1 m<sup>2</sup> :- 30PCs



**GT:- 62 Star D**  
1 m<sup>2</sup> :- 30PCs



**GT:- 63 Star B**  
1 m<sup>2</sup> :- 30PCs



**GT:- 64 Star C**  
1 m<sup>2</sup> :- 30PCs



**GT:- 65 Wave**  
1 m<sup>2</sup> :- 25PCs





**GT:- 66 4 Strip**  
300x300x25 mm



**GT:- 67 Sikka**  
300x300x25 mm

Size :- 40/60/80/100 mm





Size :- 300 x 300 x 25 mm




GT:- 68




GT:- 69




GT:- 70



GT:- 71



GT:- 72



GT:- 73




GT:- 74



GT:- 75



GT:- 76



GT:- 77



GT:- 78




GT:- 79




GT:- 80



GT:- 81




GT:- 82



GT:- 83



GT:- 84



GT:- 85



GT:- 86




GT:- 87

Kerb Stone

+91 9727513135



**GT:- 88**  
300x300x100/150mm



**GT:- 89**  
300x450x100/150mm



**GT:- 90**  
300x450x100/150mm



**GT:- 91**  
300x300x100/150mm


Grass Paver



**GT:- 92**  
300x300 mm




**GT:- 93**  
300x300 mm



**GT:- 94**  
300x300 mm



### 1. Automatic vibrator machine



#### ● Specification

- Structure mild steel.
- Power requirement 3 HP 3 phase electric motor
- Special heavy duty 3 HP 2800 RPM vibrator motor with slow and vibration system
- Production capacity up to 4000 pcs per Shift.
- Size:- 10 x 3 x 3 feet.
- Machine for :- Interlocking paver blocks, Designer tiles, Kerb Stone Etc..

### 2. Color Mixer Machine



#### ● Specification

- Top layer color mixture machine
- 3 feet. diameter
- Structure mild steel.
- Power requirement 2 HP 960 RPM 3 phase electric motor.
- Material mixing capacity 100 kg and 150 kg.
- Machine use for:- Top layer color material mixing for Interlocking paver blocks,

### 3. Concrete Mixer Machine



#### ● Specification

- Structure mild steel.
- Power requirement 2 HP/3 HP 1440 RPM 3 phase electric motor / Diesel Engine
- Available size:- Half bag and full bag.
- Material mixing capacity 200 kg and 400 kg.
- Use for:- Bottom layer materials mixing for paver blocks, Bricks, And Building Construction Etc...

## 4. Pan Mixer Machine



### ● Specification

- Structure mild steel.
- Power requirement 5 HP/7.5 HP 3 phase electric motor.
- Special heavy duty gear box.
- Available Size: 5 ft. and 6 ft. diameter.
- Material mixing capacity 450 kg and 600 kg.
- Machine use for: Bottom layer materials mixing for paver blocks, Bricks,

## Iron Oxide Color

### ● Specification

• In the construction industry it can be used as a colorant for a variety of precast concrete building materials, such as paver block, color tile, concrete brick and block and on.

- Red Oxide
- Orange Oxide
- Yellow Oxide
- Blue Pigment Black Oxide
- Green Pigment Brown Oxide
- White Titanium Dioxide



## Hardner

### ● Specification

- Long lasting control of slump loss
- Substantial improvement in workability without increased water or risk of segregation
- No adverse effect on ultimate strength
- Advantages as water reducer
- High water reduction up to 25% Improved surface finish
- No excessive air entertainment
- Especially suitable for hot climates
- Increases strength in 28 days
- Significant increases in ultimate after 8 hours
- Improved water tightness
- No adverse shrinkage effect Earlier demoulding/fast drying



## 4. Coating

### ● Specification

- Lacquer/Shiner is a solvent based acrylic resin and transparent coating for protection of cementations substrate with improvement waterproofing.
- The coating gives hardening of the surface to tile and make it dust proof besides uncoated tiles continue to generate dust
- Increases color richness and good glossy appearance
- Resistance to staining for long period
- Uses :- Floor Tiled , Paver Block Etc...




## Machinery Video



- [Click Here to watch Hydraulic Paver block Machine video](#)
- [Click Here to watch Vibrater Setup Plan Machine video](#)

Manufacturing Unit



Export Loading



# *Contact Us* for further information!



[Learn more](#)



**Panchasar Main Road , Morbi -  
363641 ( Gujarat - India)**



**+91 9727513135**



**gtechmcn@gmail.com**



**[Click Here To Chat With Us](#)**